

# EL<sup>®</sup>MARK

The Brand of Electricity

## SKY FIXTURES TLOM



# TECHNICAL SPECIFICATION

## INDOOR- SPOTLIGHTS

**ELMARK**<sup>®</sup>

The Brand of Electricity

---

### Technical data:

---

- Rated voltage: 230V/ 50-60Hz
- Power: 15W; 30W
- Power supply: Control gear; DC device- driver, included in the set
- Colour temperature: 4000K;
- LED source: Epistar Taiwan
- Type of LED: COB
- Colour: White; Black;
- Body: Aluminium
- Beam angle: 24°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Long life: 30 000h
- Protection against dust and moisture: IP40

---

### Features:

---

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

---

### Area of application:

---

- Commercial sites
- Administrative buildings
- Banks
- Hospitals
- Schools
- Entertainment and leisure spots

---

### Variants and Dimensions:

---

- **TLOM 15W**

Catalogue number	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)
93TLOM1540/WH	15	1350	4000K	White	55	145	24°	1/24
93TLOM1540/BL	15	1350	4000K	Black	55	145	24°	1/24

- **TLOM 30W**


Catalogue number	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)
93TLOM3040/WH	30	2700	4000K	White	90	240	24°	1/15
93TLOM3040/BL	30	2700	4000K	Black	90	240	24°	1/15

# TECHNICAL SPECIFICATION

## INDOOR- SPOTLIGHTS

**ELMARK**<sup>®</sup>


The Brand of Electricity










**ELMARK**  
*lighting*

93TLOM1540/WH

---



This luminaire  
contains built-in  
LED lamps.


	}	L
		E
		D
		
		
		
		

~~X~~

---

The lamps cannot be changed  
in the luminaire.

874/2012



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4

