

# ELMARK<sup>®</sup>

The Brand of Electricity

## LED PROFILES RECESSED

## MOUNTING



### GENERAL INFORMATION »

- ∴ Rated voltage: 180-265V/ 50-60Hz
- ∴ Power: 24W; 50W
- ∴ Colour temperature: 3000K; 4000K
- ∴ Colour: White; Black
- ∴ Body: Aluminium
- ∴ Reflector: Polycarbonate (PC)
- ∴ Clamps: spring clips
- ∴ Beam angle: 120°
- ∴ Colour rendering index: Ra≥80
- ∴ PF≥ 0.9
- ∴ Mounting: Recessed mounting
- ∴ Protection against dust and moisture: IP40


### FEATURES »

- ∴ Elegant and practical luminaires
- ∴ Pleasant and uniform light distribution
- ∴ Best alternate For LED tubelites with decorative and aesthetic look
- ∴ Low power consumption
- ∴ Repeated switch on/off does not affect the lifespan
- ∴ Instant light with maximum luminous flux
- ∴ Environmentally friendly - no mercury and lead
- ∴ No ultraviolet and infrared rays
- ∴ Resistant to shock and vibration-free body
- ∴ Low heat emission
- ∴ Suitable for commercial sites, residence buildings, banks, offices

## PRODUCT DETAILS »

Catalogue number	Watt (W)	Colour	Whole fixture lumens (lm)	Colour temp. (K)
99PFM602430/BL	24	Black	2160	3000
99PFM602440/BL	24	Black	2160	4000
99PFM602430/WH	24	White	2160	3000
99PFM602440/WH	24	White	2160	4000
99PFM1505030/BL	50	Black	4500	3000
99PFM1505040/BL	50	Black	4500	4000
99PFM1505030/WH	50	White	4500	3000
99PFM1505040/WH	50	White	4500	4000

## DIMENSIONS »



Model	Length (mm)	Width (mm)	Height (mm)
24W	600	75	35
50W	1500	75	35

## ACCESSORIES »

∴ L-CONNECTORS




Catalogue number	Watt (W)	Colour	Whole fixture lumens (lm)	Colour temp. (K)	Size (mm)
99PFML30/BL	8	Black	720	3000	35x75x204
99PFML40/BL	8	Black	720	4000	35x75x204
99PFML30/WH	8	White	720	3000	35x75x204
99PFML40/WH	8	White	720	4000	35x75x204

∴ T-CONNECTORS



Catalogue number	Watt (W)	Colour	Whole fixture lumens (lm)	Colour temp. (K)	Size (mm)
99PFMT30/BL	12	Black	1080	3000	35x75x334/204
99PFMT40/BL	12	Black	1080	4000	35x75x334/204
99PFMT30/WH	12	White	1080	3000	35x75x334/204
99PFMT40/WH	12	White	1080	4000	35x75x334/204

∴ X-CONNECTORS



Catalogue number	Watt (W)	Colour	Whole fixture lumens (lm)	Colour temp. (K)	Size (mm)
99PFMX30/BL	15	Black	1350	3000	35x75x334
99PFMX40/BL	15	Black	1350	4000	35x75x334
99PFMX30/WH	15	White	1350	3000	35x75x334
99PFMX40/WH	15	White	1350	4000	35x75x334

∴ INSIDE CONNECTORS



Catalogue number	Watt (W)	Colour	Whole fixture lumens (lm)	Colour temp. (K)	Size (mm)
99PFMI30/BL	8	Black	720	3000	35x75x204
99PFMI40/BL	8	Black	720	4000	35x75x204
99PFMI30/WH	8	White	720	3000	35x75x204
99PFMI40/WH	8	White	720	4000	35x75x204

